

What is claimed is:

1. An Internet facsimile apparatus comprising:
e-mail receiver, the e-mail receiver receives
e-mail;

5 outputter, the outputter outputs a content of
said e-mail;

analyzer, the analyzer analyzes a text part of
said e-mail; and

outputting controller, the outputting
10 controller controls said outputter to prevent said
text part from being output when said text part is
composed of only unprintable codes as a result of
analysis.

2. An Internet facsimile apparatus comprising:
15 e-mail receiver, the e-mail receiver receives
e-mail;

text processor, the text processor replaces a
character string, which is inserted between a
predetermined pair of codes in a text part of said
20 e-mail, with unprintable codes; and

outputter, the outputter outputs the content of
e-mail including said text part processed by said
text processor.

3. An Internet facsimile apparatus comprising:
25 e-mail receiver, the e-mail receiver receives
e-mail;

text processor, the text processor deletes a

character string, which is inserted between a predetermined pair of codes in a text part of said e-mail; and

5 outputter, the outputter outputs the content of e-mail including said text part processed by said text processor.

4. An Internet facsimile apparatus comprising:
e-mail receiver, the e-mail receiver receives e-mail;

10 text processor, the text processor replaces a row, which is started with predetermined codes in a text part of said e-mail, with unprintable codes; and

15 outputter, the outputter outputs the content of e-mail including said text part processed by said text processor.

5. An Internet facsimile apparatus comprising:
e-mail receiver, the e-mail receiver receives e-mail;

20 text processor, the text processor deletes a row, which is started with predetermined codes in a text part of said e-mail; and

25 outputter, the outputter outputs the content of e-mail including said text part processed by said text processor.

6. An Internet facsimile apparatus comprising:
e-mail receiver, the e-mail receiver receives

e-mail;

text processor, the text processor replaces a character sting, which is enclosed with predetermined codes in a text part of said e-mail,
5 with an unprintable code; and

outputter, the outputter outputs the content of e-mail including said text part processed by said text processor.

7. An Internet facsimile apparatus comprising:
10 e-mail receiver, the e-mail receiver receives e-mail;

text processor, text processor deletes a character sting, which is enclosed with predetermined codes in a text part of said e-mail;
15 and

outputter, the outputter outputs the content of e-mail including said text part processed by said text processor.

8. An e-mail receiving method, which outputs a
20 content of said e-mail when receiving said e-mail, wherein a text part of said e-mail is analyzed after receiving said e-mail, and said text part is prevented from being output when said text part is composed of only unprintable codes as a result of
25 analysis.

9. An e-mail receiving method comprising the steps of:

receiving e-mail;

replacing a character string, which is inserted between a predetermined pair of codes in a text part of said e-mail, with unprintable codes; and

5 outputting the content of e-mail including said text part replaced with said unprintable codes.

10. An e-mail receiving method comprising the steps of:

receiving e-mail;

10 deleting a character string, which is inserted between a predetermined pair of codes in a text part of said e-mail; and

15 outputting the content of e-mail including said text part from which said character string is deleted.

11. An e-mail receiving method comprising the steps of:

receiving e-mail;

20 replacing a row, which is started with a predetermined code in a text part of said e-mail, with unprintable codes; and

outputting the content of e-mail including said text part having said row replaced with said unprintable codes.

25 12. An e-mail receiving method comprising the steps of:

receiving e-mail;

deleting a row, which is started with predetermined codes in a text part of said e-mail; and

outputting the content of e-mail including said
5 text part from which said row is deleted.

13. An e-mail receiving method comprising the steps of:

receiving e-mail;

replacing a character sting, which is enclosed
10 with predetermined codes in a text part of said e-mail,
with an unprintable code; and

outputting the content of e-mail including said
text part having said character string replaced with
said unprintable codes.

15 14. An e-mail receiving method comprising the steps of:

receiving e-mail;

deleting a character sting, which is enclosed
with predetermined codes in a text part of said
20 e-mail; and

outputter for outputting the content of e-mail
including said text part from which said character
string is deleted.